



US Patent &amp; Trademark Office

SIGN IN SIGN UP

Searching for: (cluster, and nodes, and vectors) and (re-cluster, or re-group, or reduster, or regroup, or attributes) ([start a new search](#))Found 613 of 1,639,151 within *The ACM Guide to Computing Literature*

Limit your search to Publications from ACM and Affiliated Organizations

## REFINE YOUR SEARCH

Search Results

Related Journals

Related Magazines

Related SIGs

Related Conferences

Results 1 - 20 of 613

Sort by relevance

in expanded form

Result page: 1 2 3 4 5 6 7 8 9 10 next

Refine by Keyword

Discovered Terms

Refine by People

Names

Institutions

Authors

Editors

Reviewers

Refine by Publications

Publication Year

Publication Names

ACM Publications

All Publications

Southern Formats

Publications

Refine by Conferences

Sponsors

Events

Proceeding Series

## ADVANCED SEARCH

Advanced Search

## FEEDBACK

Please provide us with feedback

Found 613 of 1,639,151

- 1 [An integrated approach for scaling up classification and prediction algorithms for data mining](#)  
 Patricia E. N. Lutz  
 September 2002 **SAICSIT '02: Proceedings of the 2002 annual research conference of the South African Institute of computer scientists and information technologists on Enablement through technology**  
**Publisher:** South African Institute for Computer Scientists and Information Technologists  
 Full text available [Full](#) (197 71 KB)  
**Bibliometrics** Downloads (6 Weeks) 4, Downloads (12 Months) 80, Downloads (Overall) 2018, Citation Count 0

Classification and prediction algorithms for machine learning typically require all training data to be resident in memory during decision tree construction. Typically, a flat file is created from database or data warehouse data and loaded into memory.

**Keywords:** classification, classification trees, data mining, decision tree induction, knowledge discovery in databases, machine learning, prediction, regression trees

- 2 [Proceedings of the 1997 ACM/IEEE conference on Supercomputing \(CSDRM\)](#)  
 November 1997 **Supercomputing '97: Proceedings of the 1997 ACM/IEEE conference on Supercomputing (CSDRM)**  
**Publisher:** ACM  
**Bibliometrics** Downloads (6 Weeks) n/a, Downloads (12 Months) n/a, Downloads (Overall) n/a, Citation Count 0

- 3 [High-throughput coherence control and hardware messaging in everest](#)  
 A. K. Nanda, A. T. Nguyen, M. M. Michael, D. J. Joseph  
 March 2001 **IBM Journal of Research and Development**, Volume 45 Issue 2  
**Publisher:** IBM Corp.  
**Bibliometrics** Downloads (6 Weeks) n/a, Downloads (12 Months) n/a, Downloads (Overall) n/a, Citation Count 0

Everest is an architecture for high-performance cache coherence and message passing in partitionable distributed shared memory systems that use commodity shared multiprocessors (SMPs) as building blocks. The Everest architecture is intended for use in ...

- 4 [Distributed object implementations for interactive applications](#)  
 Vijaykumar Krishnaswamy, Ivan B. Ganev, Jaideep M. Desai, Mustafa Ahmed  
 April 2000 **Middleware '00: IFIP ACM International Conference on Distributed systems platforms**  
**Publisher:** Springer-Verlag New York, Inc.  
 Full text available [Full](#) (175 94 KB)  
**Bibliometrics** Downloads (6 Weeks) 0, Downloads (12 Months) 22, Downloads (Overall) 329, Citation Count 4

As computers become pervasive in the home and community and homes become better connected, new applications will be deployed over the Internet. Interactive Distributed Applications involve users in multiple locations, across a wide area network, who ...

- 5 [A Parallel CORBA Component Model for Numerical Code Coupling](#)  
 Christian Bittel, Thierry Fiol, Andrei Iltis  
 November 2002 **GRID '02: Proceedings of the Third International Workshop on Grid Computing**  
**Publisher:** Springer-Verlag  
**Bibliometrics** Downloads (6 Weeks) n/a, Downloads (12 Months) n/a, Downloads (Overall) n/a, Citation Count 0

The fast growth of high bandwidth wide area networks has allowed the building of computational grids, which are constituted of PC clusters and/or parallel machines. Computational grids enable the design of new numerical simulation applications. For example, ...

- 6 [Learning geoscience categories in Situ: implications for geographic knowledge representation](#)  
 Bryan Brédano, Mark Gahegan

November 2001 **GIS '01: Proceedings of the 9th ACM international symposium on Advances in geographic information systems**

**Publisher:** ACM [Request Permissions](#)

Full text available [PDF](#) (2.24 MB)

**Bibliometrics** Downloads (6 Weeks): 2, Downloads (12 Months): 19, Downloads (Overall): 367, Citation Count: 1

This paper explores the development of categories shared in the field logging of a region by a team of geologist. Visualization, neural networks and spatial statistical tools are employed to gain insight into the complex space of attributes observed.

**Keywords:** category development, classification, geological fieldwork, information ontology, self-organizing map, situated learning

## 7 From the journals...

[Anonymous](#)

January 2003

**The Knowledge Engineering Review**, Volume 18 Issue 1

**Publisher:** Cambridge University Press

**Bibliometrics** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count:

## 8 Graph-based tools for data mining and machine learning

[Horn, Burke](#)

July 2003

**MLDM'03: Proceedings of the 3rd international conference on Machine learning and data mining in pattern recognition**

**Publisher:** Springer-Verlag

**Bibliometrics** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count:

Many powerful methods for intelligent data analysis have become available in the fields of machine learning and data mining. However, almost all of these methods are based on the assumption that the objects under consideration are represented in terms of...

**Keywords:** edit cost learning, graph clustering, graph edit distance, graph matching, unique node labels

## 9 Locally adaptive dimensionality reduction for indexing large time series databases

[Kushki Chakrabarti, Sambuddh Kooch, Shradha Mehrotra, Michael Pazzani](#)

June 2002

**Transactions on Database Systems (TODS)**, Volume 27 Issue 2

**Publisher:** ACM [Request Permissions](#)

Full text available [PDF](#) (1.48 MB)

**Bibliometrics** Downloads (6 Weeks): 24, Downloads (12 Months): 180, Downloads (Overall): 1431, Citation Count:

Similarity search in large time series databases has attracted much research interest recently. It is a difficult problem because of the typically high dimensionality of the data. The most promising solutions involve performing dimensionality reduction...

**Keywords:** Dimensionality reduction, indexing, time-series similarity retrieval

## 10 Disk cache replacement algorithm for storage resource managers in data grids

[Flow, Guis, Frank Olsken, Aisling Shoshani](#)

November 2002

**Supercomputing '02: Proceedings of the 2002 ACM/IEEE conference on Supercomputing**

**Publisher:** IEEE Computer Society Press

Full text available [PDF](#) (166.85 KB)

**Bibliometrics** Downloads (6 Weeks): 2, Downloads (12 Months): 33, Downloads (Overall): 559, Citation Count: 4

We address the problem of cache replacement policies for Storage Resource Managers (SRMs) that are used in Data Grids. An SRM has a disk storage of bounded capacity that retains some N objects. A replacement policy is applied to determine which object...

**Keywords:** cache replacement algorithm, data staging, file caching, storage resource management, trace-driven simulation

## 11 Color Image Segmentation for Multimedia Applications

[N. Ikonomakis, K. N. Batistakis, A. N. Venetis](#)

June 2000

**Journal of Intelligent and Robotic Systems**, Volume 28 Issue 1-2

**Publisher:** Kluwer Academic Publishers

Full text available [PDF](#) (Punchat, Sae)

**Bibliometrics** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count:

Image segmentation is crucial for multimedia applications. Multimedia databases utilize segmentation for the storage and indexing of images and video. Image segmentation is used for object tracking in the new MPEG-7 video compression standard. It is

**Keywords** color image segmentation, cylindrical distance metric, region growing, region merging

12 [Ad-hoc networks beyond unit disk graphs](#)

[Fabian Kuhn, Aaron Zomorzi](#)

September 2003

**DIALM-POMC '03: Proceedings of the 2003 joint workshop on Foundations of mobile computing**

**Publisher:** ACM [Research Publications](#)

Full text available [Publisher Site](#) (219 30 KB)

**Bibliometrics** Downloads (6 Weeks) 1, Downloads (12 Months) 39, Downloads (Overall) 1041, Citation Count 4

In this paper we study a model for ad-hoc networks close enough to reality as to represent existing networks, being at the same time concise enough to promote strong theoretical results. The Quasi Unit Disk Graph model contains all edges shorter than

**Keywords** ad-hoc networks, face routing, flooding, geometric routing, mobile computing, modeling, unit disk graphs, wireless communication

13 [Combining EMS-Vision and Horizon Stereo for Obstacle Avoidance of Autonomous Vehicles](#)

[K.-H. Siedenberger, Martin Pollefein, Michael Luczel, Ernst D. Dickmanns, André Fiedel, Rainer Mandelbaum, K. Bogen](#)

July 2001

**ICVS '01: Proceedings of the Second International Workshop on Computer Vision Systems**

**Publisher:** Springer-Verlag

**Bibliometrics** Downloads (6 Weeks) n/a, Downloads (12 Months) n/a, Downloads (Overall) n/a, Citation Count:

A novel perception system for autonomous navigation on low level roads and open terrain is presented. Built within the framework of the US-German AutoNav project, it combines UBM's object oriented techniques, known the 4D approach to machine perception ...

14 [Evaluation of Neural and Genetic Algorithms for Synthesizing Parallel Storage Schemes](#)

[Nayer Al-Mouhamad, Hussam Abu-Hamad](#)

August 2001

**International Journal of Parallel Programming**, Volume 29 Issue 4

**Publisher:** Kluwer Academic Publishers

Full text available [Publisher Site](#)

**Bibliometrics** Downloads (6 Weeks) n/a, Downloads (12 Months) n/a, Downloads (Overall) n/a, Citation Count:

Exploiting compile time knowledge to improve memory bandwidth can produce noticeable improvements at runtime<sup>[10]</sup>. Allocating the data structure<sup>[11]</sup> to separate memories whenever the data may be accessed in parallel allows ...

**Keywords** heuristics, memory organization, parallel memories, performance evaluation, storage schemes

15 [The Architecture and Performance of a Stochastic Competitive Evolutionary Neural Tree Network](#)

[N. Davy, B. G. Adams, S. J. George](#)

January 2000

**Applied Intelligence**, Volume 12 Issue 1-2

**Publisher:** Kluwer Academic Publishers

Full text available [Publisher Site](#)

**Bibliometrics** Downloads (6 Weeks) n/a, Downloads (12 Months) n/a, Downloads (Overall) n/a, Citation Count:

A new dynamic tree structured network—the Stochastic Competitive Evolutionary Neural Tree (SCENT) is introduced. The network is able to provide a hierarchical classification of unlabelled data sets. The main advantage that SCENT offers over

**Keywords** dynamic neural tree, hierarchical clustering, self organising, structured knowledge

16 [Learning Situation-Specific Coordination in Cooperative Multi-agent Systems](#)

[M. V. Nagendra Prasad, Victor E. Lagoon](#)

June 1999

**Autonomous Agents and Multi-Agent Systems**, Volume 2 Issue 2

**Publisher:** Kluwer Academic Publishers


Full text available [Publisher Site](#)

**Bibliometrics** Downloads (6 Weeks) n/a, Downloads (12 Months) n/a, Downloads (Overall) n/a, Citation Count:

Achieving effective cooperation in a multi-agent system is a difficult problem for a number of reasons such as limited and possibly out-dated views of activities of other agents and uncertainty about the outcomes of interacting non-local tasks. In this ...


**Keywords:** coordination, learning, multi-agent systems

17 [Fuzzy rule extraction from GIS data with a neural fuzzy system for decision making](#)

 [Doug Zhang, Wolfgang Kainz](#)

November 1999 **GIS '99: Proceedings of the 7th ACM international symposium on Advances in geographic information systems**


**Publisher:** ACM 

Full text available  (1.07 MB)

**Bibliometrics:** Downloads (6 Weeks): 6, Downloads (12 Months): 60, Downloads (Overall): 1061, Citation Count: 0


**Keywords:** GIS, decision-making, fuzzy rule inference, neural network

18 [Comparing Parallel Functional Languages: Programming and Performance](#)

 [H.-W. Leidi, C. Babil, N. Saeed, K. Hammond, S. Henriques, U. Kuehl, R. Leegen, G. J. Mohr, R. Pohl, S. Prö, A. J. Poon, P. W. Tordella](#)

September 2003 **Higher-Order and Symbolic Computation**, Volume 16 Issue 3

**Publisher:** Kluwer Academic Publishers

Full text available 

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 0

This paper presents a practical evaluation and comparison of three state-of-the-art parallel functional language. The evaluation is based on implementations of three typical symbolic computation programs, with performance measured on a Beowulf-class ...

**Keywords:** Haskell, ML, automatic task decomposition, functional programming, load balancing, parallel computation, skeletons, implicit parallelism

19 [View planning for automated three-dimensional object reconstruction and inspection](#)

 [William R. Swell, Gerhard Roth, Jean-François Royak](#)

March 2003 **Computer Surveys (CSUR)**, Volume 35 Issue 1

**Publisher:** ACM 


Full text available  (517.25 KB)

**Bibliometrics:** Downloads (6 Weeks): 20, Downloads (12 Months): 191, Downloads (Overall): 2719, Citation Count: 0

Laser scanning range sensors are widely used for high-precision, high-density three-dimensional (3D) reconstruction and inspection of the surface of physical objects. The process typically involves planning a set of views, physically altering the relative ...


**Keywords:** View planning, object inspection, object reconstruction, range images

20 [Overview of the MPEG-7 standard and of future challenges for visual information analysis](#)

 [Philippe Salembier](#)

January 2002 **EURASIP Journal on Applied Signal Processing**, Volume 2002 Issue 1

**Publisher:** Hindawi Publishing Corp.

Full text available  (930.86 KB)

**Bibliometrics:** Downloads (6 Weeks): 1, Downloads (12 Months): 8, Downloads (Overall): 51, Citation Count: 1

This paper presents an overview of the MPEG-7 standard: the Multimedia Content Description Interface. It focu on visual information description including low-level visual Descriptors and Segment Description Schemes. The paper also discusses some challenges.

**Keywords:** MPEG-7, browsing, description schemes, descriptors, indexing, multimedia, navigation, retrieval, search, search engine

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

The ACM Digital Library is published by the Association for Computing Machinery. Copyright © 2011 ACM, Inc.  
[Terms of Use](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [CurlTime](#)  [Windows Media Player](#)  [RealPlayer](#)